

GEMINI

ZERO CLEARANCE DIRECT VENT SEE-THROUGH GAS FIREPLACE



Model	MDV31N	MDV31LP	
	MDV31NE	MDV31LPE	
Fuel	Natural	Propane	
Input Max.	30,000 BTU	30,000 BTU	
Input Min.	22,500 BTU	25,000 BTU	
Glass Type	Tempered	Tempered	
Bedroom Approved	Yes*	Yes*	
FE (P.4.1-15)	60.94% / 63.27%	60.94% / 63.27%	

*Must be installed with listed thermostat in Canada. Check local jurisdiction in USA. $^{\rm t}$ Louvered model only.

ACCESSORY OPTIONS


LOG SET OR ROCK COLLECTION (REQUIRED FOR EACH UNIT)



LOGC31 Seven Piece Cast Split Oak Log Set



MQROCK2 Natural Rock Set



MQROCK3 Multi-Colored Rock Set











TOP FLUE MODEL	Height		Front Width		Depth			
	Actual	Framing	Actual	Framing	Actual	Framing		
LOUVERS								
Corner	361/8"	37"	381/6"	48 1/2"	21 11/16"	27 1/4"		
Penninsula	361/8"	37"	381/6"	48 1/2"	21 11/16"	20 5/8"		
See-Through	361/8"	37"	481/8"	41 1/2"	21 11/16"	20 5/8"		
CLEAN VIEW CIRCULATING KIT (CVCK)								
See-Through	41 5/8"	421/2"	381/8"	46 1/8"	26 5/8"	25 5/8"		

Consult Manual for proper framing instructions in order to meet clearances to combustibles.

STANDARD FEATURES

- Millivolt or IPI valve system allows operation during a power failure with Hi/low heat and flame adjustment
- A triple burner for use with our contemporary rock collection or log set
- · Safety Screen Barrier

OPTIONAL FEATURES

Designer Clean View Circulating Kit:

No Louvers Required (Available as See-Through only, see manual for framing instructions)

Grills: Black

Fan Kit: Heat activated with variable speed control

Brick Refractory Liners: End Panel, Side Panel

Thermostat*: Wall Mount or Programmable Thermostat

Remote Control: On/Off, Thermostat*, Thermostat* / Modulating or Thermostat* / Modulating Fan

Log Set or Contemporary Rock Collection: MQRSP7 Rock Support Platform required for rock collection







Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

Certification: The models are certified for USA and Canada. Certified to: ANSI Z21.50-2014, CSA 2.22-2014, CGA 2.17-M91 (R2009) as a Vented Gas Firenace

Note: Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.



FOR CALIFORNIA RESIDENTS ONLY:

WARNING! This product can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel consumption, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

Crafted entirely in Canada, each Marquis fireplace is built to the highest standards and made to last.

LIMITED LIFETIME WARRANTY



2340 Logan Avenue Winnipeg, Manitoba, CAN R2R 2V3 Phone: 204.632.1962 Fax: 204.632.1960

marquisfireplaces.net

Printed in Canada B061 – 09/18 Canada



Look for the **EnerGuide** Gas Fireplace Energy Efficiency Rating in this brochure

Based on CSA P.4.1-15